

Davide Groppi / 2023

LOUIS XIV

Suspension luminaire with direct and indirect light, for indoor use.

LOUIS XIV is the "freakiest" letter of our light alphabet.
A disobedient design that translates a certain rebellion to common lamp models into light.

The roses available are in textured black or matt white painted steel.
The structure is in polished gold galvanised brass.
The arms are in natural brass.
The drops are in prismatic crystal glass.
The birds are hand-made.
LOUIS XIV is dual emission.

The light sources are LED, with integrated module and can be powered separately.
The electric cable is matt white.
A range of roses and power supplies are available.

Apparecchio di illuminazione a sospensione, a luce diretta e indiretta, per interni.


LOUIS XIV è la lettera più "freak" del nostro alfabeto luminoso.
È un progetto disobbediente, che traduce in luce una certa ribellione ai modelli comuni di fare lampade.

I rosoni disponibili sono in acciaio verniciato bianco opaco o nero texturizzato.
La struttura è in ottone galvanizzata oro lucido.
I bracci sono in ottone naturale.
Le gocce sono in cristallo prismatizzato.
Gli uccellini sono realizzati a mano.
LOUIS XIV è a doppia emissione.

Le sorgenti luminose sono a LED e a modulo integrato e alimentabili separatamente.
Il cavo elettrico è di colore bianco opaco.
Sono disponibili vari rosoni e sistemi di alimentazione.

Finish

.19 Polished Gold




LOUIS XIV
14W
Max 250mA DC
2700K - Up 842lm - Down 198lm /
3000K - Up 842lm - Down 198lm
CRI >90
UGR <19
Driver not included
2 Drivers required

Polished Gold - 2700K	1A4361900.27.20
Polished Gold - 3000K	1A4361900.30.20

Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione



Ceiling rose with driver / Rosone con alimentatore — Not included

Matt White	Input 110-240V - 50/60Hz Output 250mA DC - Max 14W IP20 - DALI - PUSH - 1-10V	1X0260300.02.07
Matt Black	Input 110-240V - 50/60Hz Output 250mA DC - Max 14W IP20 - DALI - PUSH - 1-10V	1X0260400.02.07
Matt White	Input 220-240V - 50/60Hz Output 250mA DC - Max 14W IP20 - TRIAC/IGBT	1X0260300.01.02
Matt Black	Input 220-240V - 50/60Hz Output 250mA DC - Max 14W IP20 - TRIAC/IGBT	1X0260400.01.02



Ceiling rose without driver / Rosone senza alimentatore — Not included

Matt White	For electrical cables - 1 Piece	1X0010300.05.00
Matt Black	For electrical cables - 1 Piece	1X0010400.05.00



Recessed rose without driver / Rosone da incasso senza alimentatore — Not included

Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000300.05.00
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000400.05.00


The sizes are expressed in millimeters.

Davide Groppi / 2023

LOUIS XIV

Compulsory accessories / Accessori obbligatori


Drivers / Alimentatori



Driver for uplight emission / Alimentatore per emissione uplight — Not included


220-240V	250mA/12,5W/IP20/TRIAC/IGBT	1Z0241280

+



Driver for downlight emission / Alimentatore per emissione downlight — Not included


100-277V	250mA/3W/IP20/TRIAC/IGBT	1Z0400900




Driver / Alimentatore — Not included

220-240V(110-127V)	250mA/13,5W(13,5W)/IP20/DALI - PUSH - 1-10V	1Z0241270.250

SUSPENSION GUIDELINE / GUIDA PER LE SOSPENSIONI



CEILING SUSPENSION KITS

	Version	Use	Product reference	Finish	Code
Ceiling rose with driver*					
			See product page.		
Ceiling rose without driver					
	Ceiling rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White	1X0010300.01.00
				Matt Black	1X0010400.01.00
	Ceiling rose without driver 02	For electrical cables	MAGIA	Matt White	1X0010300.02.00
				Matt Black	1X0010400.02.00
	Ceiling rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White	1X0010300.03.00
				Matt Black	1X0010400.03.00
	Ceiling rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO	Matt White	1X0010300.04.00
				Matt Black	1X0010400.04.00
	Ceiling rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White	1X0010300.05.00
				Matt Black	1X0010400.05.00
	Ceiling rose without driver 06	For electrical cables	CATHODE MISS OVO OVONELPIATTO	Matt White	1X0010300.06.00
				Matt Black	1X0010400.06.00

RECESSED SUSPENSION KITS

	Version	Use	Product reference	Finish	Code
Recessed rose without driver					
	Recessed rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White	1X0000300.01.00
				Matt Black	1X0000400.01.00
	Recessed rose without driver 02	For electrical cables	MAGIA	Matt White	1X0000300.02.00
				Matt Black	1X0000400.02.00
	Recessed rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White	1X0000300.03.00
				Matt Black	1X0000400.03.00
	Recessed rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO	Matt White	1X0000300.04.00
				Matt Black	1X0000400.04.00
	Recessed rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White	1X0000300.05.00
				Matt Black	1X0000400.05.00
	Recessed rose without driver 06	For electrical cables	CATHODE MISS OVO OVONELPIATTO	Matt White	1X0000300.06.00
				Matt Black	1X0000400.06.00
	Recessed rose without driver*		CATHODE MISS OVO OVONELPIATTO	Matt White	1X0230300.04.00
				Matt Black	1X0230400.04.00
	Recessed rose without driver*		SIMBIOSI	Matt White	1X0220300.03.00
				Matt Black	1X0220400.03.00

The sizes are expressed in millimeters.

*Custom finish available on request. / Finitura personalizzata su richiesta.