


Bart Pouf

by Moooi Works | Bart Schilder

Inspired by 18th century Rococo, Bart Family is now ready for the full range of 21st century comfort. Together with the Bart Footstool, the Bart Pouf completes the collection with its rounded charm.

Designer	Moooi Works
Year of design	2018

dimensions



cleaning instructions

Moooi recommends using a good furniture polish and a soft cloth. Apply generously in layers to the surface and use the cloth to shine. Do not use abraisive fabrics, gently remove tough stains with warm water and a trusted multi-surface cleaner.

Abbracci

composition
100% pl

abrasion
50.000 martindale

lightfastness 4

firetest
FR BS5852 0/1
EN1021 1&2


Abbracci
Black


Abbracci
Brown


Abbracci
Grey


Abbracci
Oyster



Abbracci
Taupe

Justo

composition
15% CO, 35% PC, 10% PL, 40% VI

abrasion
50.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

fire test
EN 1021-1/2
US. Cal. Bull. 117-2013
NFPA 260
Upon request, with treatment:
BS5852 part1
BS5852 crib5



Justo
Alge



Justo
Basalt



Justo
Bred



Justo
Flod



Justo
Hinde



Justo
Lyse



Justo
Muse



Justo
Nat



Justo
Sennep



Justo
Sten

Liscio

composition
35% WO / 35% CV / 21% CO/ 9% PA

abrasion
30.000 Martindale

lightfastness
4-6

firetest
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1


Liscio
Grigio Blu Scuro


Liscio
Grigio Blu


Liscio
Grigio Scuro


Liscio
Muscio Scuro


Liscio
Muscio


Liscio
Argento


Liscio
Nebbia


Liscio
Pietra


Liscio
Perla


Liscio
Latte Scuro


Liscio
Latte

Solis

composition
2% PA 3% PC 30% PL 65% WO

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
EN 1021-1/2
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1
BS5852 crib5


Solis
Crust


Solis
Dawn


Solis
Fog


Solis
Gray


Solis
Paper


Solis
Rain


Solis
Spencer


Solis
Suit


Solis
Sunset

Summit Melange

composition
20% WO / 5% PA / 15% PES
60% PES filling

abrasion
50.000 martindale

lightfastness 6

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2


Summit Melange
Flour



Summit Melange
Slate


Summit Melange
Dust


Summit Melange
Peat


Summit Melange
Twig


Summit Melange
Lagoon


Summit Melange
Lavender


Summit Melange
Chili

Summit UNI

composition
22% wo, 2% pa, 14% pl, 62% pl filling

abrasion
50.000 martindale

lightfastness 5

firetest
EN1021 1&2


Summit UNI
Caviar


Summit UNI
Graphite


Summit UNI
Grass


Summit UNI
Grey


Summit UNI
Linen


Summit UNI
Natural


Summit UNI
Passion


Summit UNI
Walnut

Trickle

composition
60% WO / 20% PES / 20% PA

abrasion
80.000 martindale

lightfastness 6

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2


Trickle
Flour


Trickle
Twig


Trickle
Peat


Trickle
Dust


Trickle
Slate


Trickle
Chili


Trickle
Lavender


Trickle
Lagoon

Twill

composition
72% wo, 8% pa, 20% pl

abrasion
75.000 martindale

lightfastness 5

firetest
EN1021 1&2


Twill
Caviar


Twill
Graphite


Twill
Grass


Twill
Grey


Twill
Linen


Twill
Natural


Twill
Passion


Twill
Walnut

Twill Melange

composition
60% WO / 20% PES / 20% PA

abrasion
80.000 martindale

lightfastness 6-7

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2


Twill Melange
Chili


Twill Melange
Dust


Twill Melange
Flour


Twill Melange
Lagoon


Twill Melange
Lavender


Twill Melange
Peat


Twill Melange
Slate


Twill Melange
Twig

Twill Summit Uni Composition

composition
Twill: 72% wo, 8% pa, 20% pl
Summit UNI: 22% wo, 2% pa, 14% pl, 62% pl filling

abrasion
Twill: 75.000 martindale
Summit Uni: 50.000 martindale

lightfastness 5

firetest
EN1021 1&2


Caviar


Graphite


Grass


Grey


Linen


Natural


Passion


Walnut

Velour

composition
77% wo, 8% pa, 15% pl

abrasion
100.000 martindale

lightfastness 7

firetest
FR BS5852 0/1
EN1021 1&2


Velour **Coral**


Velour **Stone**


Velour **Moss**

Vesper

composition
10% CO, 40% L, 10% PA, 10% PL, 30% VI

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
EN 1021-1/2
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1
BS5852 crib5


Vesper **Aluminium**


Vesper **Brass**


Vesper **Bronze**


Vesper **Carbon**


Vesper **Nickel**


Vesper **Silver**


Vesper **Steel**


Vesper **Titan**

Extinct Animal Collection - Dodo Pavone

composition
12% CO 88% PL

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1



Arredo Leather

composition
100% semi aniline leather
Leather is a natural product, colours may vary from hide to hide.

firetest
EN1021 1&2



Arredo Leather
Black



Arredo Leather
Brown

Arredo Leather
White

Cervino Leather

composition
100% aniline leather
Leather is a natural product, colours may vary from hide to hide.

firetest
EN1021 1&2



Cervino Leather
Anthracite



Cervino Leather
Cognac



Cervino Leather
Mud



Cervino Leather
Pure

Kvadrat Fabrics

Kvadrat Fabrics

Selected Moooi products can be upholstered with a collection of Kvadrat fabrics. Kvadrat designs high-quality upholstery, in an extensive range of colours and textures.

Go to our Kvadrat fabrics page for a full overview of all fabric families you can choose from.