BELL TABLE LED



Taking its name from a classic dome shape, Bell is an exercise in reductionism. We're known for our metallics, so this season we're broadening our palette to include neutral colours, such as taupe, grey and white, which work well in any environment.

Year of Design	2021
Product Weight	3kg
Finishing Process	Powder Coated
Power Method	Mains
Cable Spec	UL E348531 2x0,75mm2, 300V, 80°C
Cable Type/Length	Black Fabric, 200cm
Light Source	2x 6W LED
Max Wattage	15W
Lumens	800
CRI	>90
Colour Temperature	3000K
Dimmability	Inline Dimmable
Voltage	100-240V
Environment	Indoor
Spares	LEDRING02A; LEDTC01UN
Certification/Electrical Class	Certified for NZ/AUS

WHITE

Code	BET11WH-TUN01M1
Shade/Base Code	BET11WH
Shade Material	Steel
Shade Colour/Finish	White, Gloss
Fitting Code	LEDTC01UN
Base Material	Steel
Base Colour/Finish	White, Gloss
Service Offer	New

GREY

Code	BET11GR-TUN01M1
Shade/Base Code	BET11GR
Shade Material	Steel
Shade Colour/Finish	Grey, Gloss
Fitting Code	LEDTC01UN
Base Material	Steel
Base Colour/Finish	Grey, Gloss
Service Offer	New



BELL TABLE LED



We're known for our metallics, so this season we're broadening our palette to include some more neutral colours. Bell White Portable is a sophisticated colour option which will work well in any environment.
Bell's painted surface is high-gloss, which mirrors its surroundings. Standing out from the lot and injecting a pop of colour is the new Bell Portable in fluoro. Bell fluoro acts as a real exclamation mark in any interior.


Year of Design	2021
Product Weight	3kg
Finishing Process	Taupe (Powder Coated) Fluoro (Painted)
Power Method	Mains
Cable Spec	UL E348531 2x0,75mm2, 300V, 80°C
Cable Type/Length	Black Fabric, 200cm
Light Source	2x 6W LED
Max Wattage	15W
Lumens	800
CRI	>90
Colour Temperature	3000K
Dimmability	Inline Dimmable
Voltage	100-240V
Environment	Indoor
Spares	LEDRING02A; LEDTC01UN
Certification/Electrical Class	Certified for NZ/AUS

TAUPE

Code	BET11MU-TUN01M1
Shade/Base Code	BET11MU
Shade Material	Steel
Shade Colour/Finish	Taupe, Gloss
Fitting Code	LEDTC01UN
Base Material	Steel
Base Colour/Finish	Taupe, Gloss
Service Offer	New

FLUORO

Code	BET11FL-TUN01M1
Shade/Base Code	BET11FL
Shade Material	Steel
Shade Colour/Finish	Fluoro, Gloss
Fitting Code	LEDTC01UN
Base Material	Steel
Base Colour/Finish	Fluoro, Gloss
Service Offer	New



BELL TABLE LED



Taking its name from a classic dome shape, Bell is is an exercise in reductionism. The hyper-polished surface allows Bell to take on the tone and characteristics of its surroundings while a concealed diŽuser produces its soft lighting.


Year of Design	2012
Year of Re-Design	2022
Product Weight	2.80kg
Finishing Process	PVD
Power Method	Mains
Cable Spec	SPT-2, 2x18AWG, 300 V
Cable Type/Length	Black Fabric, 250cm
Light Source	2 x 6W LED
Max Wattage	15W
Lumens	800
CRI	>90
Colour Temperature	3000K
Dimmability	Inline Dimmable
Voltage	100-240V
Environment	Indoor
Spares	LEDRING02A,LEDTC01UN
Certification/Electrical Class	T20, Certiÿed for NZ/AUS

BLACK

Code	BET11BL-TUN01M1
Shade/Base Code	BET11BL
Shade Material	Steel
Shade Colour/Finish	Black, Gloss
Fitting Code	LEDTC01UN
Base Material	Steel
Base Colour/Finish	Black, Gloss
Service Offer	New

SILVER

Code	BET11SS-TUN01M1
Shade/Base Code	BET11SS
Shade Material	Stainless Steel
Shade Colour/Finish	Silver, Polished
Fitting Code	LEDTC01UN
Base Material	Stainless Steel
Base Colour/Finish	Silver, Polished
Service Offer	New



BELL TABLE LED



Taking its name from a classic dome shape, Bell is is an exercise in reductionism. The hyper-polished surface allows Bell to take on the tone and characteristics of its surroundings while a concealed diŒuserproduces its soft lighting.

Year of Design	2012
Year of Re-Design	2022
Product Weight	2.80kg
Finishing Process	PVD
Power Method	Mains
Cable Spec	SPT-2, 2x18AWG, 300 V
Cable Type/Length	Black Fabric, 250cm
Light Source	2 x 6W LED
Max Wattage	15W
Lumens	800
CRI	>90
Colour Temperature	3000K
Dimmability	Inline Dimmable
Voltage	100-240V
Environment	Indoor
Spares	LEDRING02A,LEDTC01UN
Certification/Electrical Class	T20, Certiÿed for NZ/AUS

GOLD

Code	BET11GO-TUN01M1
Shade/Base Code	BET11GO
Shade Material	Stainless Steel
Shade Colour/Finish	Gold, Mirrored
Fitting Code	LEDTC01UN
Base Material	Stainless Steel
Base Colour/Finish	Gold, Polished
Service Offer	New

COPPER

Code	BET11CO-TUN01M1
Shade/Base Code	BET11CO
Shade Material	Stainless Steel
Shade Colour/Finish	Copper, Mirrored
Fitting Code	LEDTC01UN
Base Material	Stainless Steel
Base Colour/Finish	Copper, Polished
Service Offer	New

