PIN

Design by Ichiro Iwasaki.

VIBIA
LIGHT IS CREATION

Reference

1650.

Application

Table Lamps

Installation type

Surface

Description

Table lamp. Design by Ichiro Iwasaki. This reading lamp is characterized by having a short arm and an adjustable head. Available in white, black, cream and green matt finishes.

Diffuser

Polycarbonate diffuser

Materials

Head: Aluminium
Base: Zamak
Diffuser: Polycarbonate
Rods: Steel

Finish


1650-04 Matt black lacquer (NCS 9000N)

1650-58 Matt cream lacquer (NCS S 2005-Y20R)

1650-62 Matt green lacquer (NCS S 3010-G20Y)

1650-93 Matt white lacquer (NCS S 0502-Y)

Sketch



Electrical characteristics

1 x LED 4,5W 350mA

Total 4.5 W

VIBIA LIGHTING, S.L.U. Barcelona, 72 - 74. 08820 El Prat de Llobregat (Barcelona - Spain). Tel 934 796 970. Fax 934 796 973.
vibia@vibia.com www.vibia.com



VIBIA LIGHTING, S.L.U. Barcelona, 72 - 74. 08820 El Prat de Llobregat (Barcelona - Spain). Tel 934 796 970. Fax 934 796 973.
vibia@vibia.com www.vibia.com



Led 2700K CRI >80 450 lm 109 lm/W

Fixture: 208 lm 0 lm/W

Driver included: CC - Constant Current 350 mA 100-240V 50/60Hz

Electronic dimming NO DIM

VIBIA LIGHTING, S.L.U. Barcelona, 72 - 74. 08820 El Prat de Llobregat (Barcelona - Spain). Tel 934 796 970. Fax 934 796 973.
vibia@vibia.com www.vibia.com

Physical characteristics

1 Box / 0.17 x 0.21 x 0.71 m. / Vol. 0.0263 m³ /
Gross weight 2.9 kg. / Net weight 2.0 kg.


Installation and assembly

Please, see the installation manual

Light distribution

Reading


Lamp having a light beam whose main function is to supply sufficient light for reading.




Photometric data

Efficiency : 46.31%
Coordinate system : CG
Total flux : 449.94
Maximum value : 193.70
Light position : C=75.00 G=5.00
Symmetry on the planes : Symmetrical planes
270-90

Isolux : Floor
Light position :
X=0.00m Y=0.00m Z=0.55m





Certificates

IP20 Bi-volt LED

VIBIA LIGHTING, S.L.U. Barcelona, 72 - 74. 08820 El Prat de Llobregat (Barcelona - Spain). Tel 934 796 970. Fax 934 796 973.
vibia@vibia.com www.vibia.com