FLOS

F3452030 Black

Kelvin Edge Base


Designed by Antonio Citterio, 2015



7W - 306lm - 2700-3200K - CRI> 90

Flexible lamp emitting direct light. Painted or chromed aluminium body with die-cast head, joints and forks, and extruded arms. Diffuser in photoengraved polycarbonate with perimeter aluminate finish. Edge Lighting technology light source. Optical switch sensor located on the head providing 3-step dimming and colour temperature adjustment. Plug-in power supply with interchangeable plugs.

The newest addition to the Kelvin LED family, Kelvin Edge Base applies the collection's industrial language to a more compact scale without compromising output. Inspired by a love of industrial design, Antonio Citterio developed the original Kelvin to blend seemingly simple structures with cutting-edge innovation. Named after its Edge Lighting technology, Kelvin Edge Base delivers a focused yet balanced glow, proving that compact proportions can achieve unexpectedly powerful results.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607004586
Mounting	Table
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	7
Lumen Output (lm)	306

Physical

Colour	Black
Length (mm)	473
Cord colour	Black
Net weight (kg)	3.86
Package volume (m3)	0.02
IP internal	20

Download

Mounting instructions	PDF
Mounting instructions	PDF
Mounting instructions	PDF

Photometric Files

LDT / IES — LDT

Technical Drawings

2D — ZIP

©2026 Flos - P.IVA 00290820174 - 10/31/2026


In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

RG
IEC 62471


IP
20

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **E**




Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

Schematic light drawing



Luminous flux luminaire
306 lm

Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	2700-3200
CRI>	90
Extreme cut off	No


Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 24V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



00.	Assembly Coaxial Connector	RF3390130
01.	Black plug assembly kit & 24V driver	RF6600230
02.	Kelvin edge black base	F3451030
03.	Kelvin edge black body	F3450030

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



RF3390130

Assembly Coaxial Connector



RF6600230

Black plug assembly kit & 24V driver



F3451030

Kelvin edge black base



F3450030

Kelvin edge black body

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.