FLOS

F1371039 Green

Smithfield Suspension


Designed by Jasper Morrison, 2009



Halogen - 4 x 105W

Suspension lamp emitting direct light. Features an aluminium body with an injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment and suspension cable. Equipped with a five-pole power cable in PTFE with double insulation.

Designed by Jasper Morrison, Smithfield Suspension is inspired by the industrial fittings of London's historic Smithfield Market. True to Morrison's Super Normal design philosophy, it translates utilitarian charm into refined simplicity. The lamp's generous form provides ample direct light while remaining discreet in appearance. Known for creating objects that quietly enhance everyday spaces, Morrison balances functional performance with understated presence with a lamp equally suited to both domestic and commercial settings.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Download

Mounting instructions PDF

Main specifications

EAN	8059607031377
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp type	A70
Lamp holders	E27
Ilcos	HSGSA
Number of lamps	4
Power (W)	105


Physical

Colour	Green
Length (mm)	600
Cord colour	Clear
Cord length (mm)	1700
Canopy length/diameter (mm)	146
Canopy height (mm)	36
Net weight (kg)	4.75
Package height (mm)	310
Package width (mm)	710
Package length (mm)	710
Package volume (m3)	0.16
IP internal	20

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Schematic light drawing



Luminous flux luminaire
4800 lm

Photometric

Lighting type	Direct
Light distribution	Roto symmetric
Extreme cut off	No


Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Bulbs



NOT INCLUDED

RF32563


LED Lamp 11.5W E27 220-240V 2700K A70



NOT INCLUDED

RF32288


LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF26259

LED Lamp 18W E27 2700K Dimmable



NOT INCLUDED

RF32564


LED Lamp 11.5W E27 220-240V 3000K A70



NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38



NOT INCLUDED


RF26258

LED Lamp 18W E27 3000K T38 Dimmable

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



01.	Smithfield Suspension Green rose assembly	RF1367039
02.	Kit of 5 or rings	RF05382
03.	Smithfiled Suspension Wiring 2,7m FEP/PVC 3x0,75 Transparent	RF29907
04.	3 mt steel cable ø1,2 with 19 winded wires	RF29665
05.	Smithfield Methacrylate diffuser	RF19022

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



RF1367039

Smithfield Suspension Green rose assembly

RF05382

Kit of 5 or rings



RF29907

Smithfiled Suspension Wiring 2,7m FEP/PVC 3x0,75 Transparent



RF29665

3 mt steel cable ø1,2 with 19 winded wires



RF19022

Smithfield Methacrylate diffuser

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.